

**Model: ZDADI1725-08**

**VPol 1700~2500MHz 65° 8dBi Wall Mount Antenna**

**Frequency Range-MHz**1700~2500

**Gain-dBi**8

**Polarization**Vertical

**Electrical downtilt-°**Hor:65;Ver:50

**VSWR**≤1.5

**Input impedance**• 50

**Maximum Input power-W**50

**Connector**N-F

**Size-mm**110\*110\*30


**Weight-kg**0.2

**Radiating Element Material**Cu Ag


**Reflector Material**Aluminum Alloy

**Radome Material**ABS

**Operating temperature-°C**-40~60



水平面方向图  
Horizontal pattern



垂直面方向图  
Vertical pattern

**Model: ZDAQI1725A-03**

**VPol 1700~2500MHz 360° 3dBi Ceiling Mount Antenna**

**Frequency Range-MHz**1700~2500

**Gain-dBi**3

**Polarization**Vertical

**Electrical downtilt-°**Hor:360;Ver:55

**VSWR**≤1.5

**Input impedance**• 50

**Maximum Input power-W**50

**Connector**N-F

**Size-mm**∅132\*58

**Cable length-mm**300


**Weight-kg**0.25

**Radiating Element Material**Cu


**Reflector Material**Electrolysis Board

**Radome Material**ABS

**Operating temperature-°C**-30~60



水平面方向图  
Horizontal pattern



垂直面方向图  
Vertical pattern

**Model: ZDAQI1725B-03**

**VPol 1700~2500MHz 360° 3dBi Ceiling Mount Antenna**

**Frequency Range-MHz**1700~2500

**Gain-dBi**3

**Polarization**Vertical

**Electrical downtilt-°**Hor:360;Ver:55

**VSWR**≤1.5

**Input impedance-Ω** 50

**Maximum Input power-W**50

**Connector**N-F

**Size-mm**∅125\*55


**Weight-kg**0.5

**Radiating Element Material**Cu


**Reflector Material**Electrolysis Board

**Radome Material**ABS

**Operating temperature-°C**-30~60



水平面方向图  
Horizontal pattern



垂直面方向图  
Vertical pattern